



Radon Inspection Report

Test Location:

Test For:

Inspected By:

Sample Report

4020 Wake Forest Road, Suite 300
Raleigh, NC 27609
919-850-2526

Test Result: Pass

Overall Average:

0.2 pCi/l

EPA Average:

0.2 pCi/l

Test Device Details:

Serial Number: 300002805
Model Number: 1028XP
Last Calibration: 08/03/2022
Next Calibration: 08/03/2023
Cal-Factors: 3.02
Motion Error: No

Test Site Condition:

Test Summary:


<u>CRM Location:</u>	<u>Start:</u> 06/19/2023 01:27 PM	<u>Stop:</u> 06/21/2023 08:27 AM	<u>Interval:</u> 1 hr	<u>Duration:</u> 43 hr
*First 4 hrs of data excluded	<u>Min:</u>	<u>Max:</u>	<u>Average:</u>	<u>Measurement Units:</u>
Radon Concentration:	0.0	1.0	0.2	pCi/l

Comments:

Lic/Cert Signature

Inspection Report Date: 06/21/2023

Radon Inspection Chart



Test Result: Pass

Test Location: 104 Pricket Lane Clayton, NC 27527

Inspection Report Date: 06/21/2023

Test device manufactured by SunRADON, LLC



Test Checklist

- The location of the detector was selected so the detector was not to be disturbed during testing.
- The monitor was not placed in an area of high humidity such as: Kitchen, laundry room, cellar, spa room, garage, crawl space or sump area.
- The detector was not located near drafts caused by HVAC vents, windows and doors.
- Whole house fans were turned off during the testing.
- The detector was not placed near areas of excessive heat, such as a fireplace or in direct sunlight.
- Portable window fans were removed or sealed in place prior to testing.
- The detector was placed within the breathing zone of at least 20 inches to 6 feet above the floor and at least 1 foot below the ceiling if suspended.
- Window air conditioners were operable in recirculation mode only.
- The detector was not placed within 1 foot of outside walls of the home or within 3 feet of any windows or doors to the exterior of the home.
- Ceiling fans, portable dehumidifiers, portable humidifiers, portable air filters, and all window air conditioners are not operated within 20 feet of the detector.

Test Result: Pass

Test Location: 104 Pricket Lane Clayton, NC 27527

Inspection Report Date: 06/21/2023

Test device manufactured by SunRADON, LLC



Test Table

* Data from first 4 hours excluded from EPA calculations

<u>Date/Time</u>	<u>Radon(pCi/l)</u>	<u>Flags</u>
06/19/23 02:27 PM	0.0	-
06/19/23 03:27 PM	0.0	-
06/19/23 04:27 PM	0.0	-
06/19/23 05:27 PM	0.0	-
06/19/23 06:27 PM	0.0	-
06/19/23 07:27 PM	0.0	-
06/19/23 08:27 PM	1.0	-
06/19/23 09:27 PM	0.0	-
06/19/23 10:27 PM	0.0	-
06/19/23 11:27 PM	1.0	-
06/20/23 12:27 AM	0.0	-
06/20/23 01:27 AM	0.3	-
06/20/23 02:27 AM	0.3	-
06/20/23 03:27 AM	0.0	-
06/20/23 04:27 AM	0.3	-
06/20/23 05:27 AM	0.0	-
06/20/23 06:27 AM	0.7	-
06/20/23 07:27 AM	0.7	-
06/20/23 08:27 AM	0.0	-
06/20/23 09:27 AM	0.3	-
06/20/23 10:27 AM	0.0	-
06/20/23 11:27 AM	0.3	-
06/20/23 12:27 PM	0.0	-
06/20/23 01:27 PM	0.3	-
06/20/23 02:27 PM	0.3	-
06/20/23 03:27 PM	0.0	-
06/20/23 04:27 PM	0.0	-
06/20/23 05:27 PM	0.0	-
06/20/23 06:27 PM	0.7	-
06/20/23 07:27 PM	0.0	-
06/20/23 08:27 PM	0.3	-
06/20/23 09:27 PM	0.3	-
06/20/23 10:27 PM	0.0	-
06/20/23 11:27 PM	0.0	-
06/21/23 12:27 AM	0.0	-
06/21/23 01:27 AM	0.0	-
06/21/23 02:27 AM	0.0	-
06/21/23 03:27 AM	0.0	-
06/21/23 04:27 AM	0.0	-
06/21/23 05:27 AM	0.0	-
06/21/23 06:27 AM	0.3	-
06/21/23 07:27 AM	0.0	-
06/21/23 08:27 AM	0.3	-

Test Result: Pass

Test Location: 104 Pricket Lane Clayton, NC 27527

Inspection Report Date: 06/21/2023

Test device manufactured by SunRADON, LLC